

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 1

Revision: 20.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Tytan Professional SBS FIX Klej montażowy
- **Article number:** A-1255
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Adhesive.
- **Application of the substance / the mixture** Solvent adhesives
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
TYTAN PROFESSIONAL

- Selena S.A.
ul. Legnicka 48A, 54 -202 Wrocław, Poland
e-mail: kontakt@selena.com
Selena Contact Center 801 350 500
BDO: 000015312
- **Further information obtainable from:** msds@selena.pl
- **1.4 Emergency telephone number:** European emergency number: 112 (24h)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Sol. 1 H228 Flammable solid.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
Skin Sens. 1 H317 May cause an allergic skin reaction.
STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02



GHS07

- **Signal word** Danger
- **Hazard-determining components of labelling:**
rosin
Hydrocarbons, C6, isoalkanes, <5% n-hexane
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 1

Revision: 20.02.2024

Trade name: Tytan Professional SBS FIX Klej montażowy

(Contd. of page 1)

• Hazard statements

H228 Flammable solid.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H336 May cause drowsiness or dizziness.
H412 Harmful to aquatic life with long lasting effects.

• Precautionary statements

P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• 2.3 Other hazards

• Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

• 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

• Dangerous components:

EC number: 927-510-4 Reg.nr.: 01-2119475515-33-xxxx	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics ⚠ Flam. Liq. 2, H225; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336	<15,000%
CAS: 8050-09-7 EINECS: 232-475-7 Index number: 650-015-00-7 Reg.nr.: 01-2119480418-32-XXXX	rosin ⚠ Skin Sens. 1, H317	<10,000%
EC number: 931-254-9 Reg.nr.: 01-2119484651-34-XXXX	Hydrocarbons, C6, isoalkanes, <5% n-hexane ⚠ Flam. Liq. 2, H225; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336	<10,000%
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49-xxxx	acetone ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	<5,000%

• **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• **General information:** Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Remove soiled clothing. After contact with skin, rinse with plenty of water.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 1

Revision: 20.02.2024

Trade name: Tytan Professional SBS FIX Klej montażowy

(Contd. of page 2)

- Call a doctor immediately.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
 - Seek immediate medical advice.
 - Do not induce vomiting.
- **4.2 Most important symptoms and effects, both acute and delayed**
 - No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
 - No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
 - Foam.
 - Fire-extinguishing powder.
 - Carbon dioxide.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet.
- **5.2 Special hazards arising from the substance or mixture**
 - Formation of toxic gases is possible during heating or in case of fire.
 - In case of fire, the following can be released:
 - Carbon monoxide (CO).
 - Carbon dioxide (CO₂).
- **5.3 Advice for firefighters**
- **Protective equipment:**
 - Wear self-contained respiratory protective device.
 - Wear fully protective suit.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
 - Wear protective clothing.
 - Ensure adequate ventilation.
 - Keep away from ignition sources.
- **6.2 Environmental precautions:**
 - Do not allow to enter sewers / surface or ground water.
 - Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**
 - Dispose of the material collected according to regulations.
- **6.4 Reference to other sections** See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Use only in well ventilated areas.
- **Information about fire - and explosion protection:**
 - Keep ignition sources away - Do not smoke.
 - Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
 - Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 1

Revision: 20.02.2024

Trade name: Tytan Professional SBS FIX Klej montażowy

(Contd. of page 3)

Protect from heat and direct sunlight.

• **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

• 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace:

CAS: 67-64-1 acetone

IOELV (EU)	Long-term value: 1210 mg/m ³ , 500 ppm
NDS (EU)	Short-term value: 4800 mg/m ³ , 2000 ppm
	Long-term value: 1210 mg/m ³
OEL (Ireland)	Long-term value: 1210 mg/m ³ , 500 ppm
IOELV	

• Regulatory information

IOELV (EU): (EU) 2019/1831

OEL (Ireland): 2021 CoP for the Safety, Health and Welfare at Work

• DNELs

CAS: 67-64-1 acetone

Oral	DNEL	62 mg/kg/Tag (General population, consumers)
Dermal	DNEL	62 mg/kg/Tag (General population, consumers)
		186 mg/kg/Tag (Workers)
Inhalative	DNEL	200 mg/m ³ (General population, consumers)
		1,210 mg/m ³ (Workers)

Hydrocarbons, C6, isoalkanes, <5% n-hexane

Oral	DNEL	1,301 mg/kg/Tag (General population, consumers)
Dermal	DNEL	1,377 mg/kg/Tag (General population, consumers)
		13,964 mg/kg/Tag (Workers)
Inhalative	DNEL	1,137 mg/m ³ (General population, consumers)
		5,306 mg/m ³ (Workers)

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Oral	DNEL	149 mg/kg/Tag (General population, consumers)
Dermal	DNEL	149 mg/kg/Tag (General population, consumers)
		300 mg/kg/Tag (Workers)
Inhalative	DNEL	477 mg/m ³ (General population, consumers)
		2,085 mg/m ³ (Workers)

CAS: 8050-09-7 rosin

Oral	DNEL	15 mg/kg/Tag (General population, consumers)
Dermal	DNEL	15 mg/kg/Tag (General population, consumers)
		25 mg/kg/Tag (Workers)
Inhalative	DNEL	52.174 mg/m ³ (General population, consumers)
		176.32 mg/m ³ (Workers)

• PNECs

CAS: 67-64-1 acetone

(freshwater)	10.6 mg/l (Aquatic Organisms)
(sea water)	1.06 mg/l (Aquatic Organisms)
(freshwater sediments)	30.4 mg/kg (Aquatic Organisms)
(sea water sediments)	3.04 mg/kg (Aquatic Organisms)

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 1

Revision: 20.02.2024

Trade name: Tytan Professional SBS FIX Klej montażowy

(Contd. of page 4)

(soil)	29.5 mg/kg (Terrestrial Organism)
CAS: 8050-09-7 rosin	
(freshwater)	0.005 mg/l
(sea water)	0.0005 mg/l
(freshwater sediments)	108 mg/kg
(sea water sediments)	10.8 mg/kg
(soil)	21.4 mg/kg

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - Do not eat, drink, smoke or sniff while working.
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes and skin.
 - Do not inhale dust / smoke / mist.
- **Respiratory protection:** Not required.
- **Hand protection**



Protective gloves

EN 374

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.38 mm.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

 ≥ 480 min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Safety glasses

EN 166

- **Body protection:** Protective work clothing.

EU

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 1

Revision: 20.02.2024

Trade name: Tytan Professional SBS FIX Klej montażowy

(Contd. of page 5)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Liquid
· Colour:	Yellow
· Odour:	Characteristic
· Odour threshold:	Not determined
· Melting point/freezing point:	Not determined
· Boiling point or initial boiling point and boiling range	Not determined
· Flammability	Flammable.
· Lower and upper explosion limit	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	<60 °C
· Auto-ignition temperature:	Not specified
· Decomposition temperature:	Not determined
· pH	Not applicable
· Viscosity:	
· Kinematic viscosity at 40 °C	>20.5 mm ² /s
· Dynamic:	Not applicable
· Solubility	
· water:	Insoluble
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure:	Not applicable
· Density and/or relative density	
· Density:	1.20-1.30 g/cm ³
· Relative density	Not determined
· Relative gas density	Not determined.
· Particle characteristics	
See section 3.	

· 9.2 Other information

· Appearance:	
· Form:	Paste
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard

· Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Flammable solid.
· Self-reactive substances and mixtures	Void

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 1

Revision: 20.02.2024

Trade name: Tytan Professional SBS FIX Klej montażowy

(Contd. of page 6)

· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity**
No hazardous reactions if the regulations / notes for storage and handling of the product will be respected.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No further relevant information available.
- **10.4 Conditions to avoid**
Handle away from heat, ignition sources, sparks, ignition points, flames, static electricity.
- **10.5 Incompatible materials:** Strong acids, alkalis and oxidising agents.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:** No data available.
- **11.2 Information on other hazards**

- | |
|--|
| · Endocrine disrupting properties |
| None of the ingredients is listed. |

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** Harmful to aquatic life with long lasting effects.
- **12.2 Persistence and degradability** The product after hardening is a solid, insoluble in the water.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 1

Revision: 20.02.2024

Trade name: Tytan Professional SBS FIX Klej montażowy

(Contd. of page 7)

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Harmful to aquatic organisms

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Do not allow to enter surface or ground water.
Assigning a code from the waste catalogue depends on the sector, in which the user operates, as well as on arrangements made between the waste generator and a competent environment protection department.
Substance/mixture as a waste compound brings hazardous properties HP: 3,4,14
Remove in accordance with applicable legislation.

· European waste catalogue

15 01 10*	packaging containing residues of or contaminated by hazardous substances
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP14	Ecotoxic

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|---|
| <ul style="list-style-type: none"> · 14.1 UN number or ID number · ADR, IMDG, IATA | UN3175 |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR · IMDG, IATA | 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (HEPTANES)
SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (HEPTANES) |

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 1

Revision: 20.02.2024

Trade name: Tytan Professional SBS FIX Klej montażowy

(Contd. of page 8)

· 14.3 Transport hazard class(es)

· ADR, IMDG, IATA



· Class

4.1 Flammable solids, self-reactive substances, polymerizing substances and solid desensitized explosives

· Label

4.1

· 14.4 Packing group

· ADR, IMDG, IATA

II

· 14.5 Environmental hazards:

· Marine pollutant:

Harmful to aquatic life.

· 14.6 Special precautions for user

Warning: Flammable solids, self-reactive substances, polymerizing substances and solid desensitized explosives

· Hazard identification number (Kemler code): 40

· EMS Number:

F-A,S-I

· Stowage Category

B

· 14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

· Transport/Additional information:

· ADR

· Transport category

2

· Tunnel restriction code

E

· UN "Model Regulation":

UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (HEPTANES), 4.1, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

1907/2006/CE Regulation, REACH

1272/2008/CE Regulation, CLP

2020/878/UE Regulation

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2024

Version number 1

Revision: 20.02.2024

Trade name: Tytan Professional SBS FIX Klej montażowy

(Contd. of page 9)

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

CAS: 67-64-1 | acetone

· Regulation (EC) No 273/2004 on drug precursors

CAS: 67-64-1 | acetone

3

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

CAS: 67-64-1 | acetone

3

· REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer – ANNEX I (Ozone- depleting potential)

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

· Recommended restriction of use Information in the appropriate technical data sheet of product.

· Abbreviations and acronyms:

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids – Category 2
- Flam. Sol. 1: Flammable solids – Category 1
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- Asp. Tox. 1: Aspiration hazard – Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3